Approved For Release 2000/06/30: CIA-RDP78B04560A004900010009-6

NO FOREIGN DISSEM

SECRET

PHOTOGRAPHIC INTERPRETATION REPORT

25X1C



JUNE SUMMARY REPORT

SELECTED TARGETS NORTH VIETNAM AND LAOS

NPIC/R-245/65 AUGUST 1965

25X1C

Approved For Relegate 200/06/30 : CIA-RDP78B04560A004900010009-6

NO FOREIGN DISSEM

GROUP 1 EXCLUDED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION

Approved For Release 2000/06/30 : CIA-RDP78B04560A004900010009-6

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

<u>SECRET</u>

NO FOREIGN DISSEM

25X1C

PREFACE

This report provides a summarization of photographic interpretation of selected COMOR installation/facilities in North Vietnam and Laos, and, in addition, may provide similar information on other installations considered significant by the National Photographic Interpretation Center (NPIC). The report includes missions accomplished within the month indicated on the report cover.

Each installation is initially reported in summary form to include target name, geographic coordinates, BE number (as appropriate), and WAC/NPIC number. Next follows the locator line, the Comor target number (as appropriate), the date of the information, a summary description of the installation including OB information, and the photo data/limiting conditions line used in compiling the initial report.

As each installation is subsequently covered by photographic reconnaissance throughout the month, additional report entries include mission number and date, status of target, OB information (as appropriate), and photo data/limiting conditions to include no apparent change or identi-

fication only, as appropriate. These entries are normally limited to three lines.

Only AAA defenses considered integral components of an installation are reported. They are divided into three basic categories: light (ZPU-1, ZPU-2, ZPU-4, 37MM), medium (57MM, 85MM), and heavy (100MM and larger). The term HMGAA (heavy machine gun antiaircraft) indicates a weapon smaller than a ZPU-1. When a category cannot be determined, the site is listed as an AAA site and the number of guns indicated. (Ex.: 6-gun AAA site, occupied/unoccupied.)

Targets are arranged 1) by country, 2) within the country by subject, 3) within the subject by World Aeronautical Chart (WAC) number, and 4) within the WAC number by coordinates in ascending order.

An appendix explaining column headings, photo reference data, COMOR Target Numbers, and abbreviations for limiting conditions concludes the report.

Approved For Release 2000/06/30 : CI&FORF8B04560A004900010009561C

R-245/65

	Target	Con	ordinates	WAC	Target	Numbers
				, "AC	BE	NPIC
MISSILES	•	,			25744	
HANOI SAM SITE B17-2 15 NM ESE OF HANDI	25X1D	2Ø47N	10554E	Ø616	25X1A	114-G
CONSTRUCTION OF SA- CONTINUES.						
REVETMENT OBSERVED.	IMAGE QUALITY PRECLUDE					
	110N°	25X1D				
HANOI SAM SITE B21-2 11 NM SE OF HANOI.		2Ø51N	1Ø545E	Ø616		114-H
SIX LAUNCH REVETMEN	UES ON SA-2 SAM SITE. TS, THE CENTRAL GUIDAN REVETMENTS ARE APPARE ONSTRUCTION.	CE NTLY 25X1D	<i>x</i>			
HANOI SAM SITE A29-2 10 NM WNW OF HANOI		25X1D	10541E ;	Ø616		462-J
EARLY STAGE OF CONS	-2 SAMISITE OBSERVEDELI TRUCTION. REVETMENTS OBSERVEDEIN ON, 1 MISSILE LAUNCH					
REVETMENTAIN MIDSTA MISSILE LAUNCH REVE	GE OF CONSTRUCTION, AND TMENTS IN EARLY STAGE OF D SCARRING INDICATES	D 2 '				

SECRET

25X1C

Approved For Release 2000/06/30 : ርሷፎ የሚሞ78B04560A0049000ሷቃጲቀይ-6

NO FOREIGN DISSEM

R-245/65

	T4	Coordinates	w,c	Target N	lumbers
	i arget	Coordinates	WAC .	BE	NPIC
25X1D 25X1D	POSSIBLE LOCATION OF A SIXTH LAUNCH POSITION. ONE MISSILE HOLD REVETMENT AND A CENTRAL GUIDANCE AREA IN MID-STAGE OF CONSTRUCTION ALSO OBSERVED. NO MISSILE ASSOCIATED EQUIPMENT ORSERVED. AIR INSTALLATIONS DO SON AIRFIELD Ø.4 NM EAST OF DO SON. 3,600 X 150 FT N/S SOD RUNWAY, UNSERVICEABLE, APPARENTLY ABANDONED. PARKING REVETMENTS ON WEST SIDE OF RUNWAY ARE DETERIORATING. APPARENTLY UNOCCUPIED FACILITIES ON EAST SIDE OF RUNWAY INCLUDE 2 LARGE HANGARS AND SEVERAL	Coordinates 2042N 1Ø648E	Ø616		
25X1D	BARRACKS. SEVERAL BUILDINGS AT SOUTH END OF FIELD HAVE BEEN RAZED. TWO PROBABLY ABANDONED POL TANKS OBSERVED 1,000 FT SSW OF SOUTH END OF RUNWAY. AIRCRAFT NONE OBSERVED.	1		× .	
25X1D 25X1D	NO APPARENT CHANGE SINCE 25X1D AIRCRAFT NONE OBSERVED.				
25X1D	25X1D NO APPARENT CHANGE SINCE AIRCRAFT NONE OBSERVED. 25X1D				

25X1C 0010009-6

R-245/65

Approved For Release 2000/06/30 : CIRETTBB04560A00490001099976

NO FOREIGN DISSEM

			WAC	Target N	lumbers
	Target	Coordingtes	WAC	BE	NPIC
a	HAIPHONG/KIEN AN AIRFIELD 5 NM SW OF HAIPHONG.	2048N 10636E	Ø616	25X1A	1Ø9-B
25X1D	CLOUD COVER PRECLUDES INTERPRETATION OF FACILITIES. AIRCRAFT 4 CAB, 1 POSSIBLE COLT, AND 1 PROBABLE COLT.				
25X1D					
25X1D	5,900 X 80 FT NE/SW CONCRETE RUNWAY, SERVICEABLE. FACILITIES INCLUDE A PARALLEL TAXIWAY TO THE SOUTH WITH 2 END-CONNECTING AND 4 CROSSOVER LINKS, 2 PARKING APRONS, AND 30 PARKING REVETMENTS. AIRCRAFT 3 CAB.				3
25X1D	Co. As the Art of the second o				
25X1D				1	
25X1D	NO APPARENT CHANGE SINCE AIRCRAFT 2 PROBABLE CAB, 1 POSSIBLE CAB, AND 1 PROBABLE SINGLE-ENGINE STRAIGHT-WING.				
25X1D					
25X1D	NO APPARENT CHANGE SINCE 25X1D AIRCRAFT 5 CAB AND 7 COLT.				
25X1D	his . 4 4 cm of the east than 500 miles			25X1A	
	HAIPHONG/CAT BI AIRFIELD 3.5 NM SE OF HAIPHONG.	2049N : 10643E	Ø616		109-A

Approved For Release 2000/06/30 : CLARTEB B04560A00490001099916

R-245/65

	Target	Coordinates	I WAC I		lumbers
	rarger	Coordinates	WAC .	BE	NPIC
	7,700 X 190 FT ENE/WSW CONCRETE/ASPHALT RUNWAY, SERVICEABLE, OBSERVED THROUGH SCATTERED CLOUDS. 2,500 X 150 FT NNW/SSE CONCRETE FORMER RUNWAY IS PROBABLY BEING USED AS A PARKING APRON. FACILITIES OBSERVED INCLUDE PARALLEL TAXIWAY WITH 2 END-CONNECTING LINKS, POL STORAGE, 2 HANGARS, 17 AIRCRAFT REVETMENTS, AND NUMEROUS SUPPORT BUILDINGS. AIRCRAFT 1 COLT, 10 MAX/MODSE, 1 PROBABLE				
25X1D	MAX/MOOSE, AND 4 PROBABLE DUMMY FAGOT/FRESCO. NO APPARENT CHANGE SINCE 25X1D				
25X1D	AIRCRAFT 2 COLT, 7 MAX, AND 4 DUMMY SWEPT-WING. NO APPARENT CHANGE SINCE AIRCRAFT 9 MAX/MOOSE, 1 COLT, AND 4				
25X1D	PROBABLE DUMMY FAGOT/FRESCO.			25X1A	
25X1D	HANOI/BAC MAI AIRFIELD 2.1 NM SSW OF HANOI CLASSIFICATION YARD. IDENTIFICATION ONLY.	2100N 10550E	Ø616		112-E

Approved For Release 2000/06/39:630

R-245/65

Approved For Release 2000/06/30 : CISERTRET BB04560A004900010009-6

	Coordinates	WAC	Target	Numbers
Target	Coordinates	WAC	BE	NPIC
25X1D HANOI/GIA LAM AIRFIELD 2.3 NM NE OF HANOI. IDENTIFICATION ONLY.	21Ø2N : 1Ø553E	Ø616	25X1A	114:
6,100 X 100 FT NNE/SSW CONCRETE RUNWAY, SERVICEABLE, AND 5,800 X 320 FT NW/SE CONCRETE RUNWAY USED AS PARKING AREA. FACILITIES INCLUDE 1 HANGAR, NUMEROUS SUPPORT BUILDINGS, A WEATHER STATION, A POL STORAGE AREA AT NW END OF NW/SE RUNWAY, AND 16 AIRCRAFT REVETMENTS (ALL APPARENTLY WITH EXHAUST VENTS/PERSONNEL EXIT SLITS). RUNWAY IS BEING EXTENDED APPROXIMATELY 650 FEET AT NNE END, WITH GRADING ACTIVITY EXTENDING APPROXIMATELY 1,200 FEET BEYOND THE RUNWAY EXTENSION. AIRCRAFT 12 PROBABLE CRATE AND 4 PROBABLE CAB.			25744	
PHUC YEN AIRFIELD 5.8 NM ESE OF PHUC YEN.	2113N 10548E	Ø616	25X1A	326-C

Approved For Release 2000/06/30 : CM-RDP78B04560A004900010009-6

NO FOREIGN DISSEN

R-245/65

Target Numbers Coordinates WAC Target BE NPIC RAMPS ALONG EACH OF 2 OUTER CROSSOVER LINKS, 2 PARKING APRONS 1,600 FT LONG (1 AT EACH END OF RUNWAY), GCA FACILITIES, ILS SITES, AND MARKER BEACONS. HOUSING/SUPPORT AREA IMMEDIATELY NORTH OF AIRFIELD CONTAINS APPROXIMATELY 50 BARRACKS. 100 STORAGE/SUPPORT BUILDINGS, A HANGAR, A CONTROL TOWER, AND AN OPERATIONS BUILDING. AIRCRAFT REVETMENT AREA AT ESE END OF RUNWAY CONTAINS 8 REVETMENTS, AND AN AREA AT WNW END OF RUNWAY CONTAINS 6 REVETMENTS. AN APPROXIMATELY 4 NM LONG NEWLY SURFACED TAXIWAY LEADS NORTH FROM RUNWAY TO AIRCRAFT DISPERSAL AREA CONTAINING 3 LARGE, 5 MEDIUM, AND 14 SMALL AIRCRAFT REVETMENTS AND 1 FIRING-IN BUTT IN VARIOUS STAGES OF CONSTRUCTION. TAXIWAY CULVERT IS SERVICEABLE BUT STILL IN LATE STAGE OF CONSTRUCTION. ELEVEN PACKING CRATES OBSERVED ALONG NEW TAXIWAY AT APPROACH TO RUNWAY. AIRCRAFT -- 7 BEAGLE, 1 POSSIBLE CANVAS-COVERED BEAGLE, 41 FAGOT/FRESCO, 10 POSSIBLE FAGOT/FRESCO, AND 14 DUMMY (PARKED ON GRASS). CONSTRUCTION CONTINUES AT AIRCRAFT DISPERSAL AREA. TAXIWAY LEADING FROM AIRFIELD TO AIRCRAFT DISPERSAL AREA. AIRCRAFT -- 7 BEAGLE, 68 FAGOT/FRESCO, 1 COLT, AND 8 DUMMY (PARKED ON GRASS).

6

25X1D

25X1D

25X1D

Approved For Release 2000/06/30 : CM-QBF78B04560A004900010009-6

R-245/65

	NO FOREIGH DISSEM			Target N	umbers
ſ	Target	Coordinates	WAC	BE	NPIC
25X1D	25X1D IDENTIFICATION ONLY. CHU AIRFIELD NO AIRFIELD OBSERVED AT 21-11N 106-34E.	2122N 1Ø634E	Ø616	25X1A	397-B
25X1D 25X1D	KEP HA AIRFIELD 25X1D IDENTIFICATION ONLY.	2123N 10640E	Ø616		397
25X1D	3 NM EAST OF KEP HA. IDENTIFICATION UNLY. 25X1D			~	
25X1D	NO APPARENT CHANGE SINCE AIRCRAFT 3 CAB AND 4 SMALL STRAIGHT-WING.				
25X1D "	ATRCRAFT 4 CAB.				
25X1D	desergent manders an exchange specific				

 Approved For Release 2000/06/30 : CIS FCP 78B04560A004900010009-6

 NO FOREIGN DISSEM
 25X1C

R-245/65

Target	Coordingtes	WAC	Targe	Numbers
			BE	NPIC
NO APPARENT CHANGE SINCE NEWLY IDENTIFIED U-SHAPED AIRCRAFT REVETM OBSERVED IN VARIOUS STAGES OF CONSTRUCTIO ONE LOCATED AT THE NE EDGE OF A PARALLEL TAXIWAY AND NW OF THE RUNWAY, THREE ALONG NEW TAXIWAY UNDER CONSTRUCTION TO THE SE THE RUNWAY, A FIFTH ALONG A SECOND NEW TAXIWAY UNDER CONSTRUCTION TO THE SSE OF RUNWAY, AND THE SIXTH AT THE SW EDGE OF T RUNWAY. AIRCRAFT 4 CAB. 25X1D KEP AIRFIELD 1 NM SW OF KEP. 25X1D KEP AIRFIELD 25X1D KEP AIRFIELD 1 NM SW OF KEP. PACILITIES INCLUDE A CONTROL TOWER/ OPERATIONS BUILDING, 5 BARRACKS/STORAGE BUILDINGS, 9 SMALLER ASSOCIATED BUILDINGS, WEATHER STATION, AND 16 AIRCRAFT REVETMENT PREVIOUSLY REPORTED CONSTRUCTION AT NE AND PREVIOUSLY REPORTED CONSTRUCTION AT NE AND RECONSTRUCTION AND EXTENSION OF ENTIRE RUNWAY. AIRCRAFT 1 HOUND. 25X1D NO APPARENT CHANGE SINCE AIRCRAFT NONE OBSERVED.	ENTS N, A OF THE HE 2124N 10616E	Ø616	25X1A	211

R-245/65

		W. C	Target N	Target Numbers	
Target	Coordinates	WAC	BE	NPIC	
25X1D AIRCRAFT 1 HOUND. IDENTIFICATION ONLY. AIRCRAFT 2 HOUND.			25X1A		
LANG SON AIRFIELD 1 NM SE OF LANG SON. IDENTIFICATION ONLY.	215ØN 1Ø646E	Ø616	25X1A	119-A	
VINH AIRFIELD 3.5 NM NORTH OF VINH. 6,400 X 190 FT N/S LATERITE/PSP RUNWAY, UNSERVICEABLE DUE TO BOMB CRATERS. FACILITIES INCLUDE A PARALLEL TAXIWAY WITH 1 CROSSOVER AND 1 END-CONNECTING LINK, 1 PARKING APRON, 1 OPERATIONS BUILDING WITH PROBABLE CONTROL TOWER, SEVERAL MAINTENANCE/ SUPPORT BUILDINGS, AND 14 OLD ABANDONED AIRCRAFT REVETMENTS. SEVENTEEN ADDITIONAL NEW	1843N 10540E	Ø617		128-A	

Approved For Release 2000/06/30 : CFERTER 8B04560A0049000 20009-6

R-245/65

AIRCRAFT REVETMENTS (9 WITH AIRCRAFT EXHAUST VENTS/PERSONNEL EXITS) AND 8 ADDITIONAL EQUIPMENT/TRUCK REVETMENTS OBSERVED. CONSTRUCTION IS NOT COMPLETE ON PREVIOUSLY REPORTED IRREGULAR LOOP TAXIMAY SERVICING 8 OF THE NEW AIRCRAFT REVETMENTS AT NW END OF RUNWAY. THE RUNWAY, PARKING APRON, OPERATIONS BUILDING, AND NUMEROUS MAINTENANCE/SUPPORT BUILDINGS HAVE BEEN MODERATELY DAMAGED BY AN AIR STRIKE. FILLING IN OF THE CRAFTERS ON THE RUNWAY APPRAS TO HAVE COMMENCED, HOWEVER, RUNWAY REMAINS UNSERVICEABLE. PERSONNEL TRENCHES LINE THE EAST SIDE OF RUNWAY. AIRCRAFT NONE OBSERVED. 5X1D THAT ALL BUMB CRATERS HAVE BEEN FILLED IN AND RUNWAY IS PROBABLY SERVICEABLE. AIRCRAFT NONE OBSERVED.		Target	Coordinates	WAC	Target	Numbers	
VENTS/PERSONNEL EXITS) AND 8 ADDITIONAL EQUIPMENT/TRUCK REVETMENTS OBSERVED. CONSTRUCTION IS NOT COMPLETE ON PREVIOUSLY REPORTED IRREGULAR LOOP TAXIMAY SERVICING 8 OF THE NEW AIRCRAFT REVETMENTS AT NW END OF RUNWAY. THE RUNWAY, PARKING APRON, OPERATIONS BUILDING, AND NUMEROUS MAINTENANCE/ SUPPORT BUILDINGS HAVE BEEN MODERATELY DAMAGED BY AN AIR STRIKE. FILLING IN OF THE CRATERS ON THE RUNWAY APPEARS TO HAVE COMMENCED, HOWEVER, RUNWAY REMAINS UNSERVICEABLE. PERSONNEL TRENCHES LINE THE EAST SIDE OF RUNWAY. AIRCRAFT NONE OBSERVED. X1D RUNWAY IS STILL UNSERVICEABLE. AIRCRAFT NONE OBSERVED. X1D IHAT ALL BUMB CRATERS HAVE BEEN FILLED IN AND RUNWAY IS PROBABLY SERVICEABLE. AIRCRAFT NONE OBSERVED.	-		Continues	"AC	BE	NPIC	
RUNWAY IS STILL UNSERVICEABLE. AIRCRAFT — NONE OBSERVED. THAT ALL BUMB CRATERS HAVE BEEN FILLED IN AND RUNWAY IS PROBABLY SERVICEABLE. AIRCRAFT — NONE OBSERVED. 1D IDENTIFICATION ONLY.	K1D	VENTS/PERSONNEL EXITS) AND 8 ADDITIONAL EQUIPMENT/TRUCK REVETMENTS OBSERVED. CONSTRUCTION IS NOT COMPLETE ON PREVIOUSLY REPORTED IRREGULAR LOOP TAXIWAY SERVICING 8 OF THE NEW AIRCRAFT REVETMENTS AT NW END OF RUNWAY. THE RUNWAY, PARKING APRON, OPERATIONS BUILDING, AND NUMEROUS MAINTENANCE/SUPPORT BUILDINGS HAVE BEEN MODERATELY DAMAGED BY AN AIR STRIKE. FILLING IN OF THE CRATERS ON THE RUNWAY APPEARS TO HAVE COMMENCED, HOWEVER, RUNWAY REMAINS UNSERVICEABLE. PERSONNEL TRENCHES LINE THE EAST SIDE OF RUNWAY.					
THAT ALL BUMB CRATERS HAVE BEEN FILLED IN AND RUNWAY IS PROBABLY SERVICEABLE. AIRCRAFT NONE OBSERVED. IDENTIFICATION ONLY.	X1D	RUNWAY IS STILL UNSERVICEABLE. AIRCRAFT NONE OBSERVED.					
IDENTIFICATION ONLY.	(1D	THAT ALL BUMB CRATERS HAVE BEEN FILLED IN AND RUNWAY IS PROBABLY SERVICEABLE.					
	.1D	the same with the same with the same will be the same with the same will be same as the					
	(1D	IDENTIFICATION ONLY.					

SECRET

10

Approved For Release 2000/06/30 : CIAFORESB04560A0049000165096

R-245/65

Target	Coordinates	WAC	Target	Numbers
			BE	NPIC
25X1D NO APPARENT CHANGE SINCE AIRGRAFT NONE OBSERVED.				
MILITARY INSTALLATIONS			25X1A	
HON GAY NAVAL BASE BAI CHAY IMMEDIATELY NORTH OF BAI CHAY AND 1 NM NW OF HON GAY.	2058N 10704	E Ø615	25/1/4	109-1
FACILITIES INCLUDE 2 MULTISTORY BARRACKS, 1 T-SHAPED ADMINISTRATION, 4 PROBABLE STORAGE, AND 14 PROBABLE MAINTENANCE/REPAIR BUILDINGS, A SMALL MARINE RAILWAY, AND A SMALL T-HEAD PIER.				
VESSELS NONE ORSERVED.			25X1A	
HOAI AN AMMUNITION DEPOT 1 NM NNE OF HOAI AN.	2026N 10533	E Ø616		490
DEPOT SUBJECTED TO AIR STRIKE ON 3Ø AND 31 MAY 65. FIVE BUILDINGS REMAIN INTACT. AT LEAST 6 BUILDINGS DESTROYED AND 2 SEVERELY DAMAGED. NUMEROUS BOMB CRATERS OBSERVED THROUGHOUT AREA.				
			05744	
QUI HAU AMMUNITION DEPOT WEST 1.5 NM NW OF QUI HAU AND 1 NM NNE OF HAI HA AT UTM	2037N 10514	E Ø616	25X1A	283
25X1D				

11

SECRET

25X1C **4900010009-6** Approved For Release 2000/06/30 : CJACRPF78B04560A004900010009-6

R-245/65

Target Numbers Coordinates WAC NPIC Target 25X1D DOUBLE-FENCED AMMUNITION STORAGE DEPOT WITH 4 GUARD POSTS CONTAINS 23 SEMI-REVETTED AMMUNITION STORAGE, 3 BARRACKS, 1 ADMINISTRATION, AND 7 MISCELLANEOUS ASSOCIATED BUILDINGS. 25X1D 25X1D 25X1D 25X1D NO APPARENT CHANGE SINCE 25X1D 25X1A Ø616 317 2047N 10521E HOA BINH ARMY BARRACKS 25X1D 2.4 NM SE OF HOA BINH AT UTM 25X1D COMOR TARGET NO 25X1D AREA CONTAINS 10 BARRACKS, 1 ADMINISTRATION, 2 STORAGE, 2 MESSHALL, AND 6 MISCELLANEOUS ASSOCIATED BUILDINGS AND A TRAINING AREA IMMEDIATELY SE. 25X1D 25X1D IDENTIFICATION ONLY. 25X1D 25X1D NO APPARENT CHANGE SINCE 25X1D

SECRET

12

Approved For Release 2000/06/30 : CI♠€©R€8B04560A004900010009x6C

R-245/65

	Target	Co	ordinates	WAC	Target	Numbers
				- "^-	BE	NPIC
25X1D	HAIPHONG AMMUNITION DEPOT KIEN AN SW PUG 3.8 NM SW OF HAIPHONG AND 1.5 NM NW/ENE OF HAIPHONG/KEIN AN AIRFIELD. FENCED AREA CONTAINS 42 REVETTED STORAGE BUILDINGS, 13 STORAGE REVETMENTS,	2Ø48N	1Ø638E	Ø616 ·	25X1A	109-G
5X1D	APPROXIMATELY 25 MISCELLANEOUS BUILDINGS. AND					
	HANDI MINISTRY OF NAT DEF ARMY & MIL ZONE HQ CENTER OF HANDI.	21Ø2N	10550E	Ø616	25X1A	112-A
5X1D						
X1A	HANDI ARMY SUPPLY DEPOT NNE 4.5 NM NE OF HANDI RAILROAD CLASSIFICATION YARD AT UTM 25X1D	21Ø4N	10553E	Ø616	ļ	114-D

SECRET

25X1C **900010009-6**

1.3

NO FOREIGN DISSEM

Target Numbers WAC Coordinates BE Target 25X1D 25X1D IDENTIFICATION ONLY. 25X1A 2144N 10507E Ø616 464 YEN SON AMMUNITION DEPOT 3.2 NM EAST OF PAU HIEN AND 3.2 NM NORTH DF LAP XUYEN AT UTM 25X1D 25X1D ROAD-SERVED STORAGE AREA CONTAINS 22 DISPERSED STORAGE BLDGS AND 7 SUPPORT BUILDINGS. HAZE AND OBLIQUITY PRECLUDE DETAILED INTERPRETATION. 25X1D 25X1A 119-C Ø616 215ØN 1Ø645E LANG SON ARMY BARRACKS 25X1D IN LANG SON AT UTM 25X1D AREA CONTAINS 32 BARRACKS, 7 ADMINISTRATION, 2 STORAGE, 2 MESSHALL, AND 25 SUPPORT BUILDINGS. 25X1D 25X1A 288 1742N 1Ø629E Ø617 QUANG KHE NAVAL BASE CUU DINH THREE SEPARATE AREAS ON THE NORTH AND SOUTH BANKS OF THE SONG GIANG (RIVER). 25X1D 25X1D AREA A (ON NORTH BANK AT UTM T-HEAD PIER AND 5 BARRACKS (1 DESTROYED, 1 SEVERELY DAMAGED AND 3 LIGHTLY DAMAGED). 1 DESTROYED ADMINISTRATION, 1 LIGHTLY DAMAGED MAINTENANCE/SUPPORT, AND 3 SMALL DESTROYED

SECRET

Approved For Release 2000/06/30 : CIAS RORF (B) 804560A004999910009-6

R-245/65

	Target	Coordinates	WAC		Numbers
				BE	NPIC
•	SUPPORT BUILDINGS. A BOAT REPAIR FACILITY WEST OF AREA CONTAINS 1 WINCH HOUSE AND A MARINE RAILWAY. SIX HORIZONTAL POL TANKS AND 1 BUNKER/PILLBOX OBSERVED IN AREA. 25X1D AREA B (ON THE SOUTH BANK AT UTM 6 BARRACKS, 2 ADMINISTRATION BUILDINGS, 1 MESSHALL, 4 SUPPORT BUILDINGS, AND 2 BOAT SHELTERS HAVE BEEN DESTROYED. THREE BARRACKS, 18 BARRACKS/STORAGE, 1 ADMINISTRATION, 1 LARGE VEHICLE MAINTENANCE, AND 4 SUPPORT BUILDINGS				
X1D	AND 6 LARGE SHOPS REMAIN. AREA C (ON THE SOUTH BANK JUST EAST OF AREA B AT UTM 11 BARRACKS, 1 STORAGE-TYPE, 1 MESSHALL, AND 8 SMALL SUPPORT BUILDINGS.				
X1D	VESSELS NONE OBSERVED.				
X1D	VESSELS NONE ORSERVER				
X†D	VESSELS NONE OBSERVED.		İ	25X1A	
X1D	BA DON NAVAL BASE 2 NM SE OF BA DON ON EAST BANK OF RAO NAY (RIVER) AT UTM 25X1D	1743N 10626E	Ø617		102-D

SECRET

Approved For Release 2000/06/30 : යුදු ලද 8B04560A0049026X0009-6

NO FOREIGN DISSEM

R-245/65

			T	Target N	umbers
	Target	Coordinates	WAC	BE	NPIC
25X1D 25X1D 25X1D	AREA HAS APPARENTLY BEEN SUBJECTED TO AN AIR STRIKE. THE T-HEAD PIER IS DESTROYED. TWO SUPPORT BUILDINGS REMAIN. VESSELS NONE OBSERVED. IDENTIFICATION ONLY. VESSELS 1 PARTIALLY SUBMERGED SWATOW.			25X1A	
	HON GIO MILITARY BARRACKS AREA ILE DU TIGRE	1710N 10720E	Ø617		354
25X1D	FORMER BARRACKS AREA ON THE SOUTHERN PORTION OF THE ISLAND CONTAINS BUILDING FOUNDATIONS AND NUMEROUS BOMB CRATERS. EXTENSIVE TRENCH SYSTEM OVERLOOKS BEACH ON EASTERN SIDE OF ISLAND.				
25X1D	25X1D			25X1A	
25X1D	BAI DUC THON CONVOY STAGING AREA AT BAI DUC THON ON ROUTE 12 AT UTM BUILDINGS IN CONVOY STAGING AREA HAVE BEEN	18Ø2N 1Ø551E	Ø617		242-8

R-245/65

Approved For Release 2000/06/30 : С&ЕСТВЕЛ8В04560A004900050Q09-6

•	6 11 .	WAC	Target	Numbers
Target	Coordinates		BE	NPIC
RAZED AND ONLY SITES REMAIN. NO VEHICLES OBSERVED. ZINH MILITARY INSTALLATIONS SIX MILITARY INSTALLATIONS IN VINH AREA. 25X1D AREA A (IN VINH AT UTM ——————————————————————————————————	184ØN 1Ø541E	Ø617		128-B
AREA B (Ø.9 NM NW OF VINH CITADEL AT UTM VINH HQ MIL REGION IV, 27 BARRACKS, 12 ADMINISTRATION, 8 STORAGE, 2 MESSHALL, 1 MAINTENANCE, AND APPROXIMATELY 25 MISCELLANEOUS BUILDINGS.	5X1A 25X1D			
AREA C (1.5 NM NW OF VINH AT UTM VINH ARMY BKS NW, ———————————————————————————————————	25X1A			3
AREA D (1.6 NM ESE OF VINH AT UTM VINH ARMY SUPPLY DEPOT EAST, 81 BARRACKS, 3Ø ADMINISTRATION, 31 STORAGE, 15 MESSHALL, AND 6Ø MISCELLANEOUS BUILDINGS. 25X1D AREA E (2 NM ENE OF VINH AT UTM 1Ø BARRACKS, 1 LARGE PROBABLE ADMINISTRATION,	25X1A 25X1A			

17

25X1D

25X1A

25X1D

25X1A

Approved For Release 2000/06/30 : Cዜጎ የሚተደገኘ B04560A004900010 20 ዓት የር

R-245/65

	Target	Coordinates	wac	WAC Target Num	
	(a ye	Coolamates	"AC	BE	NPIC
	4 SUPPORT, AND 1 MESSHALL BUILDING. AN AREA ADJACENT ON THE NW CONTAINS 2 MULTISTORY, 1 SINGLE-STORY, AND 2 BUILDINGS UNDER CONSTRUCTION.				
X1D	AREA F (2.3 NM EAST OF VINH AT UTM BARRACKS AREA CONTAINS 9 BARRACKS, 1 MESSHALL, 8 SUPPORT, AND SEVERAL MISCELLANEOUS BUILDINGS.				
5X1D	Janta disembed is comp.				
	AREAS B AND C IDENTIFICATION ONLY. 25X1D				
5X1A	AREA D (1.6 NM ESE OF VINH AT UTM VINH ARMY SUPPLY DEPOT EAST, 25X —— SUBJECTED TO AN AIR STRIKE. EIGHTEEN BUILDINGS DESTROYED AND 35 BUILDINGS SEVERELY DAMAGED. HAZE PRECLUDES FURTHER INTERPRETATION OF FACILITIES.	1A			
X1D					
5X1D	AREAS A-C AND E NO APPARENT CHANGE SINCE 25X1D				
25X1A	AREA D (1.5 NM NW OF VINH AT UTM VINH ARMY SUPPLY DEPOT EAST, 25X1A 18 BUILDINGS DESTROYED AND 35 BUILDINGS SEVERELY DAMAGED. NO RECONSTRUCTION				

SECRET

18

Approved For Release 2000/06/630 st

900010009-6

Approved For Release 2000/06/30 : CIA-FORE 8B04560A004900010009-6

MO FOREIGN DISSEM

R-245/65

Target	Coordinates	Coordingtes WAC		Target Numbers	
		- "AC	BE	NPIC	
OBSERVED.					
AREA F NO APPARENT CHANGE SINCE					
EXCEPT 1 STORAGE/SUPPORT BUILDING IS BEING DISMANTLED.					
T STO STORES TO THE SERVICE AND ADDRESS OF THE STORES TO THE SERVICE AND ADDRESS OF THE SERVICE AND AD					
AREAS A-C AND E NO APPARENT CHANGE					
25X1D					
AREAS D AND F NO APPARENT CHANGE SINCE					
IT who is to as distinct to must in their time of					
AREAS A-C AND E NO APPARENT CHANGE SINCE					
25X1D					
AREAS D AND F NO APPARENT CHANGE SINCE					
			25X1A		
PHUC LOI NAVAL BASE	1844N 10545E	Ø617.		128-1	
AT PHUC LOI AND 6.5 NM NE OF VINH.					
TARGET HAS BEEN SUBJECTED TO AN AIR STRIKE.					
FACILITIES INCLUDE 1 T-HEAD PIER, 1 FINGER					
PIER WITH PONTON WHARF, 2 MARINE RAILWAYS, 1 LARGE SEVERELY DAMAGED BARRACKS, 18 STORAGE/				i	
LANGE SEVENELY DAMAGED BARRAGES, TO STURAGE					

SECRET

Approved For Release 2000/06/30

25X1C **900010009-6** Approved For Release 2000/06/30 : GARRET8B04560A004900010009-6 25X1C

R-245/65

Target Numbers WAC Coordinates BE NPIC Target SUPPORT BUILDINGS (5 DESTROYED AND 1 SEVERELY DAMAGED), A POL STORAGE AREA, AND AN AMMUNITION STORAGE AREA WITH 4 REVETTED BUILDINGS. VESSELS -- NONE OBSERVED. 25X1D 25X1D 25X1A 291-C 1918N 10520E Ø617 PHU QUI AMMUNITION DEPOT SOUTHWEST 3 NM SW OF PHU QUI. 25X1D DOUBLE-FENCED DEPOT CONTAINS 26 DISPERSED CAMOUFLAGED STORAGE BUILDINGS (7 DESTROYED, 10 HEAVILY DAMAGED, AND 9 POSSIBLY DAMAGED) AND 5 DESTROYED SUPPORT BUILDINGS.

20

Approved For Release 2000/06/30 : CI&#ORE8B04560A0049000120009-6

R-245/65

	Target	Coordinates	WAC	Target	Numbers
		Cooldinates	"AC	BE	NPIC
25X1D	A SUPPORT AREA TO THE EAST CONTAINS APPROXIMATELY 3Ø BUILDINGS (5 HEAVILY DAMAGED), AND A SMALL SUPPORT AREA IMMEDIATELY WEST AND ADJACENT TO THE DEPOT CONTAINS APPROXIMATELY 15 DESTROYED BUILDINGS. A SECURED AREA JUST SOUTH CONTAINS 4 CAMOUFLAGED STORAGE AND 1 SMALL BUILDING.				
25X1D	HON NE (ISLAND) ISLAND CONTAINS 6 BUILDINGS AND A TRENCH NETWORK CONTAINING NUMEROUS FIRING BAYS. VESSELS NONE OBSERVED.	1954N 1066	Ø1E Ø617		173-A
25X1D	halm has and a series of the harmonia, source or with the				
	INDUSTRY			25X1A	
25X1D	THAI NGUYEN IRON AND STEEL COMBINE 2 NM SSE OF THAI NGUYEN. CONSTRUCTION CONTINUES ON ROAD— AND RAIL— SERVED IRON AND STEEL PLANT WITH LIMITED PRODUCTION CAPABILITY. COMBINE IS SEGMENTED INTO 6 INTERCONNECTED AREAS AS FOLLOWS —	2134N 1055	52E Ø616		242-A
	AREA A (WESTERN EDGE OF COMBINE) WAREHOUSE AND TRANSSHIPMENT AREA CONTAINS 20 LARGE M-ROOF WAREHOUSES, NUMEROUS SMALLER BUILDINGS, AND OPEN STORAGE.				
	AREA B (SW SECTION OF COMBINE) ORE CONCENTRATION AREA CONTAINS 1 LARGE MONITOR-				

SECRET

Approved For Release 2000/06/30 : CARRET 8B04560A004900010009-6 25X1C

R-245/65

	_	wac L			umbers
Target	Coordinates	WAC	BE	NPIC	
ROOF FURNACE BUILDING WITH 2 STACKS, SMALL BUILDINGS, AND OPEN PROBABLE ORE STORAGE. A CAR AND LOCOMOTIVE REPAIR FACILITY CONTAINING 3 LARGE BUILDINGS (2 MONITOR-ROOF) OBSERVED IMMEDIATELY SOUTH, ALONG THE SOUTHERN EDGE OF COMBINE.					
AREA C (SOUTH CENTRAL SECTION OF COMBINE) — FORGE, FOUNDRY, AND MACHINE SHOP AREA CONTAINS 9 LARGE/MEDIUM BUILDINGS (3 MONITOR-ROOF). AN ADMINISTRATION AREA CONTAINS 3 LARGE MULTISTORY, MULTIWING BUILDINGS AND 10 MEDIUM/SMALL BUILDINGS. IMMEDIATELY SOUTH ALONG THE SOUTHERN EDGE OF COMBINE, AND IMMEDIATELY NORTH OF THE FORGE, FOUNDRY, AND MACHINE SHOP AREA, A LARGE PROBABLE SUPPORT AREA IS IN EARLY STAGE OF CONSTRUCTION.					
AREA D (EAST EDGE OF COMBINE) ROLLING MILL AREA IN EARLY STAGE OF CONSTRUCTION CONTAINS 1 LARGE ROLLING MILL UNDER CONSTRUCTION AND APPROXIMATELY 15 OTHER BUILDINGS.					
AREA E (NE EDGE OF COMBINE) BLAST FURNACE/OPEN HEARTH FURNACE AREA CONTAINS 1 LARGE OPEN HEARTH FURNACE BUILDING WITH 2 SMOKE STACKS, 1 LARGE STEAMPLANT, 1 LARGE STRIPPING AND INGOT STORAGE BUILDING, 3 BLAST FURNACES, AND APPROXIMATELY 20 OTHER BUILDINGS.					
AREA F (NORTH CENTRAL SECTION OF COMBINE) COAL AND LIMESTONE PREPARATION					

Approved For Release 2000/06/30 : СБЕКБЕТ/8В04560A004900@50009-6

			w c	Target N	lumbers
	Target	Coordinates	WAC	BE	NPIC
- 25X1D	AREA CONTAINS A LARGE OPEN STORAGE AREA, COKING OVENS, A COKE BYPRODUCTS PLANT, A COAL PREPARATION FACILITY INCLUDING 1 LARGE BUILDING WITH AN ADJACENT SMOKE STACK AND APPROXIMATELY 10 SMALL BUILDINGS, AND A LIMESTONE PREPARATION AREA INCLUDING 1 LARGE BUILDING. A CONSTRUCTION SUPPORT AREA CONTAINS 9 M-ROOF AND NUMEROUS SMALL BUILDINGS, AN OPEN STORAGE AREA, AND A WATER SETTLING POND IMMEDIATELY NORTH OF THE FACILITY.				
	BASIC SERVICES]	
	HAIPHONG CHANNEL 25X1D IDENTIFICATION ONLY.	2050N 10640E	Ø616		1Ø9→C
25X1D	FIFTY PERCENT OF AREA COVERED.				
			<u> </u>	<u> </u>	L

SECRET

Approved For Release 2000/06/30 : CISTROPT BB04560A004900010009-6 25X1C

R-245/65

	Target Coordinates	WAC	Target Numbers		
				BE	NPIC
	NO DREDGING, MINES, OR ANTI-SWIMMER/BOAT NETS OBSERVED. VESSELS 1 FREIGHTER.				
X1D	Desired and the second of the			25.744	
	VINH RAILROAD YARD U/C 1.2 NM NNW OF VINH.	1841N 10540E	Ø617	25X1A	128-F
5X1D	process on an array of the second process and array of				
5X1D	IDENTIFICATION ONLY.				
	IDENTIFICATION ONLY.				
X1D					
	AREA A (UTM A TURNING WYE 25X1D TERMINATING IN A CONCRETE LOCOMOTIVE REVETMENT, 3 COMPLETED SPURS, 1 SPUR UNDER CONSTRUCTION, A LOADING RAMP, AND 3 SUPPORT/STORAGE BUILDINGS. A LARGE TERMINAL BUILDING IS UNDER CONSTRUCTION AT TERMINUS OF 1 OF THE NEW RAIL SPURS (UTM 25X1D				
5X1D	AREA B (UTMERICATION 3 LARGE POSSIBLE STORAGE, 1 DESTROYED, AND APPROXIMATELY 5 MISCELLANEOUS SMALL BUILDINGS.				
	AREA C (UTM TRANSSHIPMENT AREA CONNECTED TO ROUTE 1 BY PRIMARY ROAD HAS BEEN SEVERELY DAMAGED WITH 1 LARGE BUILDING PROBABLY DAMAGED AND SEVERAL SMALL	25X1D			

SECRET Approved For Release 200**0/09/80**%

00010069¾6^{1C}

Approved For Release 2000/06/30 : CIASEORES 2004560A004900010009-6 25X1 C

R-245/65

Target	Coordingtes	WAC	Target	Numbers
MISCELLANEOUS BUILDINGS DESTROYED. ADJACENT SUPPORT AREA CONTAINS 10 BUILDINGS, INCLUDING 2 MULTIWING, AND 1 BUILDING SCAR. RAILS THROUGHOUT YARD HAVE BEEN INTERDICTED BY		WAC	BE	NPIC
NUMEROUS BOMB CRATERS. ROLLING STOCK 44 UNIDENTIFIED.				
TAM DA RR AND HWY BRIDGE OVER SONG CUA LO 7.1 NM NORTH OF VINH AIRFIELD. RAILROAD AND HIGHWAY BRIDGE IS NOW UNSERVICEABLE. TWO NORTHERN SPANS ARE PARTIALLY IN RIVER, AND ROADBED ON BOTH SIDES OF BRIDGE IS HEAVILY DAMAGED. SITE OF OLD HIGHWAY BRIDGE 400 FT WEST IS APPARENTLY BEING USED AS A FERRY SITE, AND ROAD TO OLD BRIDGE HAS PROBABLY BEEN IMPROVED. NO FERRIES	185ØN 10539E	Ø617	25X1A	158-B
D				

25

SECRET

Target Numbers WAC Coordinates NPIC BE Target 25X1A 171-B 1914N 10542E Ø617 PHUONG CAN HWY BRIDGE OVER SONG HOANG MAI 2 NM NORTHWEST OF PHUONG CAN. 25X1D AT LEAST 1 SPAN OF BRIDGE APPEARS DESTROYED. HAZE AND OBLIQUITY LIMIT INTERPRETATION. 25X1D TWO SPANS OF BRIDGE ARE DESTROYED. A FORD APPEARS TO BE IN USE IMMEDIATELY WEST OF THE BRIDGE. 25X1D 25X1A 126-D 1950N 10548E Ø617 THANH HOA RR AND HWY BRIDGE OVER SONG MA 25X1D 2.5 NM NE OF THANH HOA AT UTM 25X1D TWO-SPAN, THROUGH, STEEL-TRUSS RAILROAD AND HIGHWAY BRIDGE. APPROACHES HAVE BEEN REPAIRED AND BRIDGE IS PROBABLY CAPABLE OF SUSTAINING VEHICLES ON RAIL PORTION OF BRIDGE ONLY. RAILROAD TRACK HAS NOT BEEN REPLACED ON APPROACHES. VEHICULAR PONTON BRIDGE SEGMENTS OBSERVED ON EITHER SIDE OF THE SONG MA (RIVER), APPROXIMATELY 1,000 FT SOUTH OF THE RAILROAD AND HIGHWAY BRIDGE.

> SECRET Approved For Release 2000/06/200 05:00

■00010009-6

R-245/65

Approved For Release 2000/06/30 : CDERDET/8B04560A004900010009-6 NO FOREIGN DISSEM

Target Numbers WAC Target Coordinates NPIC 25X1D RAILROAD TRACK HAS BEEN LAID ON WESTERN APPROACH TO THE BRIDGE. LARGE CRATER REMAINS IN HIGHWAY PORTION OF BRIDGE. 25X1D 25X1A 1958N 10550E Ø617 5Ø2 DONG PHONG THUONG RR & HWY BRIDGE OV LEN R Ø.5 NM SSW OF DONG PHONG THUONG AT UTM 25X1D THREE-SPAN THROUGH, STEEL-TRUSS, RAILROAD AND HIGHWAY BRIDGE WITH ROAD DECK CONSTRUCTED ON PREVIOUSLY DROPPED CENTER SPAN. SOUTH SPAN HAS BEEN DESTROYED AND CENTER SPAN HAS BEEN SEVERELY DAMAGED. A NEWLY ERECTED PONTON BRIDGE OBSERVED 1,200 FT WEST AND 2 FERRY CROSSINGS OBSERVED IMMEDIATELY EAST AND 700 FT WEST OF BRIDGE. ONE FERRY OBSERVED. 25X1D PORTS AND HARBORS 25X1A Ø616 109-D 2052N 10642E HAIPHONG PORT FACILITIES ON SOUTH BANK OF THE CUA CAM: (ESTUARY). 25X1D TARGET IS 75 PERCENT CLOUD COVERED. FACILITIES -- IDENTIFICATION ONLY.

5X1D

Approved For Release 2000/06/30 : CKYERTET BB04560A004900010009-6 25X1C

R-245/65

	Target	Coordinates	Coordinates WAC	Target Numbers		
	i urger		ordinares	""	BE	NPIC
	VESSELS 3 LARGE AND 2 MEDIUM FREIGHTERS AND NUMEROUS SMALLER CRAFT.					
25X1D	The second secon					
	TARGET IS 50 PERCENT CLOUD COVERED. FACILITIES IDENTIFICATION ONLY. VESSELS 2 LARGE FREIGHTERS AND NUMEROUS RIVER CRAFT.					
25X1D	The second of the confidence of the confidence of the constant of the constant of the confidence of th					
	FACILITIES INCLUDE AN APPROXIMATELY 4,000 FT LONG WHARF (SERVED BY 17 RAMPS), NUMEROUS SMALL DOCKS AND PIERS, A SHIP REPAIR YARD WITH 4 MARINE RAILWAYS, 12 LARGE WAREHOUSES, NUMEROUS STORAGE AND SUPPORT BUILDINGS, A LARGE POL STORAGE AREA, A THERMAL POWERPLANT, AND AN ACTIVE CEMENT PLANT. VESSELS AT LEAST 6 LARGE FREIGHTERS OBSERVED IN CLOUD FREE AREAS.					
25X1D					25X1A	
5X1D	HANOI PORT FACILITIES ON WEST BANK OF THE RED RIVER AT UTM	21Ø1N	1Ø551E	Ø616		112-5
25X1D					25X1A	
	BEN THUY PORT FACILITIES 2.2 NM SE OF VINH ON WEST BANK OF SONG CA (RIVER).	1839N	1Ø542E	Ø617		128-D

SECRET

28

R-245/65

Approved For Release 2000/06/30 : CSAE-RRET8B04560A004900010990916 NO FOREIGN DISSEM

Target Numbers WAC Coordinates NPIC Target ВE 25X1D FACILITIES INCLUDE 1 LARGE OFFSHORE WHARF. COMPLEX COMPRISES 4 STORAGE AREAS WITH APPROXIMATELY 45 STORAGE BUILDINGS, A LARGE SAWMILL, AND A THERMAL POWERPLANT. COMPLEX IS SERVED BY A RAIL SPUR FROM HANOI/VINH RAIL LINE. VESSELS -- 1 FREIGHTER. THE THERMAL POWERPLANT AND RAIL SPUR HAVE BEEN SUBJECTED TO AN AIR STRIKE AND ARE UNS ERVICEABLE. VESSELS -- 1 SMALL VESSEL CAPSIZED AT OFFSHORE WHARF. 25X1D VESSELS -- 1 COASTAL FREIGHTER CAPSIZED AT OFFSHORE WHARF. 25X1A STORAGE 109-M Ø616 2053N 10640E HAIPHONG PETROLEUM STORAGE AREA NW EDGE OF HAIPHONG ON SOUTH BANK OF

SECRET

25X1D

25X'TD

Approved For Release 2000/06/30 : CIARTER B04560A004900010009-6

R-245/65

	Target	Coordinates WAC		WAC Target Nu	
				BE	NPIC
25X1D	CUA CAM (ESTUARY). THREE STORAGE AREAS CONTAIN 12, 10, AND 8 VERTICAL TANKS, RESPECTIVELY, AND A TOTAL OF APPROXIMATELY 25 SUPPORT BUILDINGS, AREA IS RAIL-, ROAD-, AND WATER-SERVED AND CONTAINS 3 BUNKERING PIERS.				
25X1D	particular and the second of t			25X1A	
25X1D	VINH PETROLEUM PRODUCTS STORAGE 3 NM EAST OF VINH AT UTM TARGET WAS SUBJECTED TO AIR STRIKE. WALLED AREA CONTAINS 3 LARGE TANKS (2 DESTROYED AND 1 PROBABLY DAMAGED) AND 5 MEDIUM TANKS (3 DESTROYED, 1 PROBABLY DESTROYED, AND 1 HEAVILY DAMAGED). HAZE PRECLUDES INTERPRETATION OF DAMAGE TO REMAINING SMALL TANKS.	184ØN 10543E	Ø617		128-E
25X1D 25X1D	WALLED AREA CONTAINS 3 LARGE TANKS (2 DESTROYED AND 1 HEAVILY DAMAGED), 5 MEDIUM TANKS (4 DESTROYED AND 1 PROBABLY DAMAGED), 6 SMALL HEAVILY DAMAGED TANKS, 2 MEDIUM UNDERGROUND TANKS, AND APPROXIMATELY 10 SUPPORT BUILDINGS.				

SECRET

Approved For Release 2000/06/30 : C\$\frac{1}{2} \text{RE} \frac{1}{1} \text{8B04560A00490001099946} \\
NO FOREIGN DISSEM

R-245/65

ſ							umbers
	Target	Coordinates	WAC	BE	NPIC		
	25X1D URBAN COMPLEXES HANOI COMPLEX	21Ø1N 1Ø551E	Ø616	25X1A	112		
25X1D	ROAD-, RAIL-, AND RIVER-SERVED INDUSTRIAL COMPLEX CONTAINS NUMEROUS LIGHT INDUSTRIES AND LIMITED PORT FACILITIES (HANDI PORT FACILITIES, BE NO SEVERAL MILITARY INSTALLATIONS WITH NUMEROUS BARRACKS AND SUPPORT FACILITIES OBSERVED.	25X1A	Ø616	25X1A	242		
	THAI NGUYEN COMPLEX	2135N 1Ø551E	8010	*	242		
25X1D	SMALL RESIDENTIAL COMPLEX, 1 SQ MI IN AREA, ON THE KAO RIVER. A THERMO-ELECTRIC, POWERPLANT OBSERVED ON NW EDGE OF COMPLEX.						
25X1D							

Approved For Release 2000/06/30 : CIARDP78B04560A004900010809-6

R-245/65

	Target	Coordinates		WAC	Target Numbers	
				 	BE	NPIC
25X1D	LANG SON COMPLEX AT JUNCTION OF ROUTES 1 AND 4.	2151N	1Ø645E	Ø616	25X1A	119
25X1A	TRANSPORTATION CENTER CONTAINS 2 RAILROAD STATIONS (LANG SON RR YD NORTH, BE NO AND LANG SON RR YD MAIN, BE NO AND A MILITARY BARRACKS AREA (LANG SON ARMY BARRACKS, BE NO NPIC TARGET NO Ø616-119-C). A PROBABLE CAB AIRGRAFT OBSERVED IN LOW FLIGHT OVER COMPLEX.	25X1A				
25X1D	THANH HOA COMPLEX COMPLEX, 1 SQ MI IN AREA, CONTAINS A RAILROAD YARD, SEVERAL SMALL LIGHT INDUSTRIES, AND SEVERAL SMALL BARRACKS AREAS.	1948N	10546E	Ø617	25X1A	126
	25X1D					

SECRET

Approved For Release 2000/06/30 SEG RED 78B04560A004900010009-6

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates -- Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

WAC--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to WAC. For example, there is an NPIC target number 0468-15-A

and an NPIC target number 0467-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(\mathbf{s}) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered cloud cover); HC (heavy cloud cover); SC-HC (scattered-to-heavy cloud cover); H (haze); CS (cloud shadow); SD (semidarkness); S (snow); PC (partial coverage); O (obliquity); and PQ (poor image quality).

Approved For Release 2000/06/30 : CIA-RDP78B04560A004900010009-6